Licence Categories Plumbers Plumbers, Gas Fitters and Electricians Act 1995

General work descriptions:

Water plumbing means the installation, alteration, repair, maintenance or disconnection of pipes or equipment (including water heaters) to be connected directly or indirectly to a public water supply system.

Sanitary plumbing means the installation, alteration, repair, maintenance or disconnection of pipes or equipment to receive and convey wastewater to sanitary drains (including associated plumbing ventilation equipment).

Draining work means the installation, alteration, repair, maintenance or disconnection of sanitary drains or stormwater drains.

- sanitary drain means pipes and equipment to collect and convey wastewater from a sanitary plumbing installation to an on-site wastewater treatment facility or a public sewerage or effluent disposal system
- stormwater drain means pipes and equipment to collect and convey stormwater to a public stormwater disposal system

| Туре | Scope of Work | Exclusions/Notes |
|--------------------------------|--|------------------|
| Advanced Plumber | All plumbing work other than the installation, alteration, repair or maintenance of fire | |
| Registration - Can perform any | sprinkler systems. Includes: | |
| plumbing work does not | Water plumbing | |
| include the installation, | Sanitary plumbing | |
| alteration, repair or | Santary plumbing | |
| maintenance of fire sprinklers | Draining work | |
| | Backflow protection | |
| | Includes certification of work and providing technical direction. | |



| Plumber – can perform any | All plumbing work other than the installation, alteration, repair or maintenance of fire | |
|---|---|---|
| plumbing work under the | sprinkler systems. Includes: | |
| direction of an appropriately | Water plumbing | |
| registered plumbing worker. Does not include the | Sanitary plumbing | |
| installation, alternation, repair | Drainage | |
| or maintenance of fire | Backflow protection | |
| sprinklers | Work must be performed under the general direction of an advanced plumber. | |
| | | |
| Restricted Advanced Plumber | Installation, alteration, repair, maintenance or disconnection of a backflow prevention | Installation, alteration, repair, maintenance |
| - Can install and test backflow | device. Includes certification. | or disconnection of a non-testable backflow |
| prevention devices | | prevention device is exempt from licensing |
| | | requirements. |
| Restricted Advanced Plumber | Installation, alteration, repair or maintenance of water-based fire protection systems that are | |
| - Limited to fire protection work | connected directly or indirectly to a public water supply. Includes, sprinklers, hydrants, | |
| | boosters, pumps etc. | |
| | Includes certification of work and providing technical direction. | |
| Restricted Plumber – While | Installation, alteration, repair or maintenance of water-based fire protection systems that are | |
| employed under a contract of | connected directly or indirectly to a public water supply while under a contract of training | |
| training, limited to fire | and under supervision of a registered plumbing worker who is qualified to supervise | |
| protection work under | apprentices. Includes, sprinklers, hydrants, boosters, pumps etc., | |
| supervision of an appropriately | | |
| registered plumbing worker | | |

| Limited to routine testing and | Inspecting or testing a fire protection service consisting of water pipes and firefighting | |
|----------------------------------|---|--|
| inspecting of fire hose reels, | equipment (such as sprinklers, hoses and hydrants) that are connected to the mains water | |
| repair of hose reel components | supply. It includes all testing of fire hose reels but does not include annual or greater | |
| downstream of the gate valve | testing, eg 3 yearly testing of fire sprinkler systems or hydrants. It does not include | |
| and the 6 monthly or more | installation or repair work other than the repair or replacement of fire hose reel components | |
| frequent testing and inspecting | that are downstream of the gate valve. | |
| of other fire suppression | | |
| systems specified by AS1851 | | |
| Limited to routine test/inspect | Inspecting or testing of fire hose reels, hydrant valves and booster assemblies connected to | |
| of fire hose reels up to yearly | the mains water supply, as specified by AS1851. This includes: | |
| testing, repair of hose reel | Six monthly and annual testing of fire hose reels | |
| components downstream of | the repair or replacement of fire hose reel components that are downstream of the | |
| the gate valve & test/inspect of | gate valve | |
| hydrant systems & booster | gate valve | |
| assemblies up to 6 monthly | inspection of hydrant valves and booster assemblies up to six-monthly testing | |
| testing excluding activities | It does not include installation or repair work, other than repair/replacement of hose reel | |
| related to a fire pumpset | components downstream of the gate valve. | |
| | It does not include inspection or testing of pump sets. | |
| Limited to routine testing and | Inspecting or testing a fire protection service consisting of water pipes and firefighting | |
| inspecting of fire protection | equipment (such as sprinklers, hoses and hydrants) that are connected to the mains water | |
| equipment under the direct | supply. The work must be performed under the direct supervision (within sight and/or | |
| supervision of a person | hearing) of a person holding a plumbing worker's registration authorising them to perform | |
| registered to perform this work | the work without supervision. | |
| without supervision. | It does not include installation or repair work. | |

| Limited to draining work; andAll draining work while undermust work under the directto perform draining work withsupervision of an appropriatelyregistered plumbing worker | the direct supervision (sight and sound) of a person registered out supervision or direction. |
|--|--|
| supervision of an appropriately | but supervision or direction. |
| | |
| registered plumbing worker | |
| | |
| Plumber – Limited to draining All draining work while under | the general direction of a person registered to perform |
| work under the direction of an draining work without supervise | sion or direction. |
| appropriately registered | |
| plumbing worker | |
| Restricted Advanced Plumber All draining work. | |
| - Limited to draining work Includes certification of work | and providing technical direction. |
| Restricted Advanced Plumber Installation, alteration, repair of | or maintenance of irrigation pipes and equipment from the last |
| - Limited to irrigation work isolation valve for the system. | |
| Includes certification of work a | and providing technical direction |
| Plumber – Limited to irrigation Installation, alteration, repair of | or maintenance of irrigation pipes and equipment from the last |
| work under the direction of an isolation valve for the system | while under the general direction of a person registered to |
| appropriately registered perform irrigation work without | t supervision or direction. |
| plumbing worker | |
| Permitted to install, Installation, alteration, repair, | maintenance or disconnection of a backflow prevention device |
| commission, & test backflow used for a fire protection syste | em. |
| prevention devices limited to Includes certification. | |
| fire protection systems only | |
| | |

| | |
|-------------------------------------|---|
| Cold water plumbing | Installation, alteration, repair, maintenance or disconnection of cold water pipes to |
| associated with evaporative air | evaporative air-conditioning units with a water supply inlet no greater than 15mm nominal |
| conditioning units with a water | diameter connected to a water supply pipe not greater than 20mm nominal diameter. |
| supply inlet no greater than | Includes certification. |
| 15mm nominal diameter | |
| connected to a water supply | |
| pipe not greater than 20mm | |
| nominal diameter | |
| Restricted Plumber – While | All plumbing work other than the installation, alteration, repair or maintenance of fire |
| employed under a contract of | sprinkler systems, while under a contract of training and under supervision of a registered |
| training, limited to any | plumbing worker who is qualified to supervise apprentices. Includes: |
| plumbing work under the | Water plumbing |
| supervision of an appropriately | |
| registered plumbing worker. | Sanitary plumbing |
| Does not include the | Draining work |
| installation, alteration, repair or | Backflow protection |
| maintenance of fire sprinklers | |
| | |

| Any plumbing work; and must | All plumbing work other than the installation, alteration, repair or maintenance of fire |
|--------------------------------|--|
| work under supervision of an | sprinkler systems, while under supervision of a registered plumbing worker who is |
| appropriately registered | registered to perform work without supervision or direction . Includes: |
| plumbing worker. Does not | Water plumbing |
| include the installation, | Sanitary plumbing |
| alteration, repair or | |
| maintenance of fire sprinklers | Draining work |
| | Backflow protection |
| | |

Note:

- The categories above can apply to plumbing contractors' licences and workers registrations.
- A workers' registration is required for a person to physically perform plumbing work.
- A contractors' licence is required to contract (including subcontract) for the work.
- A contractors' licence does not allow a person to physically perform the work the contractor must also hold a workers registration or engage a person with a workers registration to perform the work.
- There are other categories that are no longer issued or are not commonly issued.
- Some types of plumbing work are exempt under Regulation 4 of the Plumbers, Gas Fitters and Electricians Regulations 2010.